

**IN THE CLAIMS:**

13-40. (cancelled)

41. (currently amended) A method for preparation of a document data stream, comprising the steps of:

creating in a first computer a document data stream for output on a print device and having a given font associated therewith, said document data stream being transmittable to a second computer;

providing a font conversion information for replacing said given font with a target font in said second computer when the target font is not available in said second computer;

transferring from the first computer to said second computer ~~in a file~~ with the document data stream said font conversion information together with and in direct association with the document data stream so that at any point in time at which the document data stream should be output by said second computer the font conversion information associated with the document data stream is available;

in said second computer converting said document data stream to said target font by use of said font conversion information; and

said document data stream comprising an advanced function presentation print job data stream, said font conversion information comprising a font conversion table stored in a resource file, and said resource file comprising an object container which is selected via a job corollary file executed by a resource pack program.

42-45. (cancelled)

46. (previously presented) A method according to claim 41 wherein raster document data are generated character-by-character and pixel-by-pixel in a rastering process using the target font and the document data stream.

47. (previously presented) A method according to claim 46 wherein raster matrices are used in the rastering process in which dot patterns of associated characters are stored.

48. (previously presented) A method according to claim 41 wherein the document data stream is generated pixel-by-pixel in a vector-allocation process using the target font and the document data stream.

49. (currently amended) The A system for preparation of a resource base document data stream, comprising:

~~creating in a first computer~~ which creates a document data stream for output on a printing device and having a given font associated therewith, said document data stream being transmittable to a second computer;

~~providing~~ a font conversion information for replacing said given font with a target font in said second computer when the target font is not available in said second computer;

~~transferring from the first computer~~ transferring to said second computer ~~in a file with the document data stream said font conversion information together with and in direct association with the document data stream so that at any point in time at which the document data stream should be output by the second computer the font conversion information associated with the document data stream is available;~~

in said second computer converting said document data stream to said target font by use of said font conversion information; and

said document data stream comprising an advanced function presentation print job data stream, said font conversion information comprising a font conversion table stored in a resource file, and said resource file comprising an object container which is selected via a job corollary file executed by a resource pack program.

50-53. (cancelled)

54. (previously presented) A system according to claim 49 wherein raster document data are generated character-by-character and pixel-by-pixel in a rastering process using the target font and the document data stream.

55. (previously presented) A system according to claim 54 wherein rastering matrices are used in the rastering process in which dot patterns of associated characters are stored.

56. (previously presented) A system according to claim 49 wherein the document data stream is generated pixel-by-pixel in a vector-allocation process using the target font and the document data stream.